Algebra 1 End-of-Course and Geometry End-of-Course **Assessments Reference Sheet**

Area

A = bhParallelogram

 $A = \frac{1}{2}bh$ Triangle

 $A = \frac{1}{2}h(b_1 + b_2)$ Trapezoid

 $A = \pi r^2$ Circle

Regular Polygon $A = \frac{1}{2}aP$

| KEY | | |
|--|----------------|---------------------|
| b | = base | A = area |
| h | = height | B = area of base |
| w | = width | C = circumference |
| d | = diameter | V = volume |
| r | = radius | P = perimeter |
| $ \ell $ | = slant height | of base |
| а | = apothem | S.A. = surface area |
| Use 3.14 or $\frac{22}{7}$ for π . | | |

Circumference

 $C = \pi d$ or $C = 2\pi r$

Volume/Capacity

Total Surface Area



Rectangular Prism

V = bwh or V = Bh

S.A. = 2bh + 2bw + 2hw or

S.A. = Ph + 2B



Right Circular Cylinder

 $V = \pi r^2 h$ or V = Bh

 $S.A. = 2\pi rh + 2\pi r^2$ or

 $S.A. = 2\pi rh + 2B$



Right Square Pyramid

 $V = \frac{1}{3}Bh$

 $S.A. = \frac{1}{2}P\ell + B$



Right Circular Cone

 $V = \frac{1}{3}\pi r^2 h \text{ or }$

 $V = \frac{1}{3}Bh$

 $S.A. = \frac{1}{2} (2\pi r) \ell + B$



Sphere

 $V = \frac{4}{3}\pi r^3$

 $S.A. = 4\pi r^2$

Sum of the measures of the interior angles of a polygon = 180 (n-2)

 $= \frac{180(n-2)}{n}$ Measure of an interior angle of a regular polygon

where:

n represents the number of sides

Algebra 1 End-of-Course and Geometry End-of-Course Assessments Reference Sheet

Slope formula

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

where m = slope and (x_1, y_1) and (x_2, y_2) are points on the line

Slope-intercept form of a linear equation

$$y = mx + b$$


where m = slope and b = y-intercept


Point-slope form of a linear equation

$$y - y_1 = m(x - x_1)$$

where m = slope and (x_1, y_1) is a point on the line

Special Right Triangles





Distance between two points

$$P_1(x_1, y_1)$$
 and $P_2(x_2, y_2)$

$$\sqrt{(x_2-x_1)^2+(y_2-y_1)^2}$$

Midpoint between two points

$$P_1(x_1, y_1)$$
 and $P_2(x_2, y_2)$

$$\left(\frac{x_1+x_2}{2}\ ,\ \frac{y_1+y_2}{2}\right)$$

Quadratic formula

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

where a, b, and c are coefficients in an equation of the form $ax^2 + bx + c = 0$

Trigonometric Ratios



$$\sin A^{\circ} = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos A^{\circ} = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan A^{\circ} = \frac{\text{opposite}}{\text{adjacent}}$$

Conversions

- 1 yard = 3 feet
- 1 mile = 1,760 yards = 5,280 feet
- 1 acre = 43,560 square feet
- 1 hour = 60 minutes
- 1 minute = 60 seconds

- 1 cup = 8 fluid ounces
- 1 pint = 2 cups
- 1 quart = 2 pints
- 1 gallon = 4 quarts
- 1 pound = 16 ounces
- 1 ton = 2.000 pounds
- 1 meter = 100 centimeters = 1000 millimeters
- 1 kilometer = 1000 meters
- 1 liter = 1000 milliliters = 1000 cubic centimeters
- 1 gram = 1000 milligrams
- 1 kilogram = 1000 grams

SD0776